

WATER TREATMENT

Water softeners, water filters, cleaners and scale removers



TABLE OF CONTENT

Manual water softeners



page 4

Spare parts for manual water softener



page 5

Automatic water softeners



page 6

Spare parts for automatic water softener



page 8

Water treatment systems Everpure



page 10

Water softeners Everpure



page 11

Water softeners Bores



page 14

Water filters Cuno



page 15

Accessories for water softener



page 17

Cleaners and scale removers



page 18

Water treatment

Manual water softeners

water softeners with two valves



Technical data:

throughput: 1000 l/h
operation pressure: 1-8bar
water temperature: 4-25°C

item	order no.	connection	type	container capacity (l)	amount of resin (l)	salt amount/ regeneration (kg)	capacity at 20°E (l)	ø x width x height (mm)
1	530161	3/8"	DVA LT	5	3,5	0,5	700	190x255x300
2	530120	3/8"	DVA LT	8	5,6	1	1120	190x255x400
2	530199	3/4"	DVA LT	8	5,6	1	1120	190x255x400
3	530121	3/8"	DVA LT	12	8,4	1,5	1680	190x255x500
3	530201	3/4"	DVA LT	12	8,4	1,5	1680	190x255x500
4	530126	3/8"	DVA LT	16	11,2	2	2240	190x255x600
4	530202	3/4"	DVA LT	16	11,2	2	2240	190x255x600
5	530127	3/8"	DVA LT	20	14	2,5	2800	190x255x900
5	530203	3/4"	DVA LT	20	14	2,5	2800	190x255x900

water softeners with bypass valve



Technical data:

throughput: 900 l/h
operation pressure: 1-8bar
water temperature: 4-25°C

item	order no.	connection	type	container capacity (l)	amount of resin (l)	salt/Reg. (kg)	capacity at 20°E (l)	ø x width x height (mm)
1	530122	3/8"	DVA BP	8	5,6	1	1120	190x255x400
2	530123	3/8"	DVA BP	12	8,4	1,5	1680	190x255x500
3	530124	3/8"	DVA BP	16	11,2	2	2200	190x255x600
4	530125	3/8"	DVA BP	20	14	2,5	2800	190x255x900

water softener with bypass valve and blending valve



Technical data:
throughput: 600 l/h
operation pressure: 1-8bar
water temperature: 2-30°C

item	order no.	connection	type	container capacity (l)	amount of resin (l)	salt amount/ regeneration (kg)	capacity at 20°E (l)	ø x width x height (mm)
1	530195	3/8"	XZ 35	8,5	5	1	1550	180x240x380
2	530197	3/8"	XZ 56	11,5	8	2	2100	180x240x510
3	530162	3/8"	XZ 70	14,5	10	2,5	2550	180x240x625

spare parts for manual water softener



item	order no.	description	suitable for
1	520133	valve 3/8"	DVA LT
2	520713	valve 3/4"	DVA LT
3	530328	restrictor jet M6x1	DVA LT
4	520213	reducer 3/8"-3/4"	DVA LT
5	520214	reducer 3/8"-3/4"	DVA LT
6	520715	lever	DVA LT



item	order no.	description	suitable for
1	520135	valve complete 3/8"	DVA BP
2	520137	valve upper part	DVA BP
3	530128	base	DVA LT / BP



item	order no.	description	suitable for
1	520130	lid complete	DVA LT / BP
2	520716	lid handle	DVA LT / BP
3	520131	o-ring	DVA LT / BP
4	530807	lid plastic complete	DVA LT / BP



item	order no.	description	suitable for
1	520132	filter upper (input)	DVA LT
2	520134	filter bottom (output)	DVA LT



item	order no.	description	suitable for
1	520269	filter upper (input)	DVA BP
2	520141	filter bottom (output)	DVA BP 8L
3	520142	filter bottom (output)	DVA BP 12L
4	520143	filter bottom (output)	DVA BP 16L
5	520718	filter bottom (output)	DVA BP 20L



item	order no.	description	suitable for
1	530220	valve, 4 positions	XZ
2	530223	o-ring-set	XZ
3	530219	lid plastic	XZ
4	530224	lid brass	XZ

Water treatment

Automatic water softener

water softeners with control Autotrol 255/440 (timer)



Technical data:
throughput: 1500 l/h
operation pressure: 2-8bar
water temperature: 6-25°C
supply: 230V AC

item	order no.	connection	type	container capacity (l)	amount of resin (l)	salt amount/ regeneration (kg)	capacity at 20°E (l)	ø x width x height (mm)
1	530810	1/2"	CABLT5	5	3,8	0,5	700	225x355x535
2	530130	1/2"	CABLT8	8	5,6	1	1120	245x480x560
3	530811	3/4"	CABLT12	12	8,4	1,5	1680	290x400x665
4	530131	1/2"	Mini	12	9	1,5	1680	310x430x660
5	530132	3/4"	Maxi	26	15	2,7	3360	310x430x1100



item	order no.	connection	type	container capacity (l)	amount of resin (kg)	salt amount/ regeneration (l)	width x height (mm)
1	530361	3/4"	RG 12 AT	9	1,5	1500	185x660
2	530362	3/4"	RG 16 AT	12	2,0	2100	185x760
3	530364	3/4"	RG 20 AT	16	3,5	2900	185x1060

item	order no.	description	length x width x height (mm)	item	order no.	description	length x width x height (mm)
4	530360	salt tank 35kg	320x320x440mm	5	530363	salt tank 70kg	320x320x890mm

water softeners with control DM (timer), with blending valve



ATTENTION:
Never use without prefilter (530178, page 17) !

Technical data:
throughput: 900 l/h
operation pressure: 2-8bar
water temperature: 8-15°C
supply: 230V AC

pos.	order no.	connection	type	container capacity (l)	amount of resin (l)	salt amount/ regeneration (kg)	capacity at 20°E (l)	ø x width x height (mm)
1	530158	3/8"	DM	8	5,6	1	1000	250x480x480

water softeners with control Autotrol 255/460 (volumetric (volumetrically))



Technical data:

throughput: 1500 l/h
operation pressure: 2-8bar
water temperature: 6-25°C
supply: 230V AC

item	order no.	connection	type	container capacity (l)	amount of resin (l)	salt amount/ regeneration (kg)	capacity at 20°E (l)	ø x width x height (mm)
1	530133	¾"	mini	12	9	1,5	1680	310x430x660
2	530134	¾"	maxi	26	15	2,7	3360	310x430x1100

water softeners with control Autotrol LOGIX



Technical data:

throughput: 1500 l/h
operation pressure: 2-8bar
water temperature: 6-25°C
supply: 230V AC

pos.	order no.	connection	type	container capacity (l)	amount of resin (l)	salt amount/ regeneration (kg)	capacity at 20°E (kg)	ø x width x height (mm)
1	530812	¾"	SKY 8 timer	12	8	1,1	2000	310x430x660
2	530813	¾"	SKY 8 Volumetric	12	8	1,1	2000	310x430x660

water softeners with control MAK (timer)



Technical data:

throughput MAK6: 900 l/h
throughput MAK6: 1350 l/h
operation pressure: 2-7bar
water temperature: 2-40°C
supply: 230V AC

item	order no.	connection	type	container capacity (l)	amount of resin (l)	salt amount/ regeneration (kg)	capacity at 20°E (l)	ø x width x height (mm)
1	530163	¾"	MAK6	8	5,5	1	1350	230x435x510
2	530159	¾"	MAK9	12	9	1,6	2000	310x435x610

Water treatment

water softeners with control Fleck 4600 for hot water max. 65°C,
with blending valve

Technical data:

throughput CA9: 1350 l/h
throughput CA18: 2700 l/h
operation pressure: 2-6bar
water temperature: max. 65°C
supply: 230V AC



item	order no.	connection	type	container capacity	amount of resin (l)	salt amount/ regeneration (kg)	capacity at 20°E (l)	ø x width x height (mm)
1	530814	1"	CA8AC	12 l	8	1,1	2000	310x430x650
2	530815	1"	CA18AC	26 l	18	2,4	4500	310x430x1120

spare parts for automatic water softener



item	order no.	description	suitable for
1	530135	salt tank	CAB LT8
2	530404	cover for salt tank	CAB LT5
3	530405	cover for salt tank	CAB LT8/ DM
4	530406	cover for salt tank	CAB LT12



item	order no.	description	suitable for
1	520308	lid for salt tank	CAB LT5/ LT8/ LT12/ DM
2	530407	lid for salt tank	Mini/ Maxi
3	530408	cover for control head	Mini/ Maxi
4	520306	overflow stock	CAB LT/ Mini/ Maxi



item	order no.	description	suitable for
1	530034	timer Autotrol complete 440	CAB LT /Mini/ Maxi
2	530041	power supply unit	
3	520719	gear motor for timer 440	
4	520742	disc, hours setting	
5	520741	disc, days setting	



item	order no.	description	suitable for
1	530032	control head complete 255/440 (timer)	CAB LT /Mini/ Maxi
2	530033	control head complete 255/460 (volumetric)	Mini/ Maxi
3	520740	cover for control head 255/460	CAB LT /Mini/ Maxi
4	530035	control head upper part without roller	CAB LT /Mini/ Maxi



item	order no.	description	suitable for
1	530037	o-ring-set 6-piece	CAB LT /Mini/ Maxi
2	530400	control head bottom part	
3	520300	bypass (blending valve)	
4	520318	o-ring-set 3-piece	



item	order no.	description	suitable for
1	530036	cam shaft	CAB LT /Mini/ Maxi
2	530401	holding pin for cam shaft	
3	530038	pneumatic valve cover complete with ball and gasket	
4	530402	holding fork for control head	



item	order no.	description	suitable for
1	530313	return rinse valve no.7	CAB LT /Mini/ Maxi
1	530314	return rinse valve no.8	
1	530403	return rinse valve no.6	
2	530315	o-ring	
3	530316	ball	
4	530312	filter	
5	530311	o-ring	



item	order no.	description	suitable for
1	520739	pin holder	CAB LT /Mini/ Maxi
2	530317	injector white	
2	530318	injector blue	
2	530319	injector red	
3	530320	cap A	
3	530321	cap B	
3	530322	cap C	
4	530323	brine quantity controller	



item	order no.	description	suitable for
1	530040	timer volumetric for Fleck 460	Mini/Maxi control head 255/460
2	530041	power supply unit	
3	530042	counting adapter volumetric	



item	order no.	description	suitable for
1	530029	valve upper part	DM
2	530043	solenoid coil 230V	DM
3	520305	electronic box	DM



item	order no.	description	suitable for
1	530267	valve upper part for Fleck 4600, complete	CA9AC / CA18A
2	530266	valve upper part	
3	530260	electronics	
4	530261	buttons	



item	order no.	description	suitable for
1	530262	cover	CA9AC / CA18AC
2	530263	transformer 230V / 24V	
3	530264	gear motor 24V	
3	530268	gear motor 230V	



item	order no.	description	suitable for
1	530160	control head complete	MAK6 / MAK9
2	530306	valve body	
3	530307	timer complete	
4	530309	cover for cabinet with electronics complete	



item	order no.	description	suitable for
1	530301	gear motor	MAK6 / MAK9
2	530308	pinion	
3	530302	micro switch	
4	530300	transformer 12VA	

Water treatment

water treatment systems Everpure

water filters for cold drinks



item	order no.	type	flow rate (l/min)	capacity at 20°E (l)	operation pressure (bar)	water temperature (°C)	filter size (µm)	suitable filter head	ø x height (mm)
1	530113	AC	1,9	approx. 2850	max. 10	max. 38	0,5	QL2/ QL3	80x260
2	530101	4C	1,9	approx. 11000	max. 10	max. 38	0,5	QL2/ QL3	80x370
3	530102	MC	6,3	approx. 34200	max. 10	max. 38	0,5	QL2/ QL3	80x530
4	530233	2DC	1,9	approx. 2840	max. 8,6	max. 38	0,5	QL2/ QL3	80x260
5	530231	4DC	1,9	approx. 11300	max. 8,6	max. 38	0,5	QL2/ QL3	80x370
6	530232	7DC	6,3	approx. 34200	max. 8,6	max. 38	0,5	QL2/ QL3	80x530
7	530234	2CB5	3,8	approx. 11355	max. 8,6	max. 38	5	QL2/ QL3	80x260
8	530235	4CB5	6,3	approx. 22710	max. 8,6	max. 38	5	QL2/ QL3	80x370
9	530236	7CB5	6,3	approx. 37854	max. 8,6	max. 38	5	QL2/ QL3	80x530

water filters for water heaters



item	order no.	type	flow rate (l/min)	capacity at 20°E (l)	operation pressure (bar)	water temperature (°C)	filter size (µm)	suitable filter head	ø x height (mm)
1	530114	AH	1,9	approx. 2850	max. 10	max. 38	0,5	QL2/ QL3	80x260
2	530103	4H	1,9	approx. 5680	max. 10	max. 38	0,5	QL2/ QL3	80x370
3	530104	MH	6,3	approx. 34200	max. 10	max. 38	0,5	QL2/ QL3	80x530
4	530242	BH	1,9	approx. 11300	max. 10	max. 38	0,5	QL2/ QL3	80x370
5	530243	BH2	1,9	approx. 11300	max. 10	max. 38	0,5	QL2/ QL3	80x370
6	530244	2CB5-S	3,8	approx. 11350	max. 10	max. 38	5	QL2/ QL3	80x260
7	530245	4CB5-S	6,3	approx. 22710	max. 10	max. 38	5	QL2/ QL3	80x370
8	530246	7CB5-S	6,3	approx. 37854	max. 10	max. 38	5	QL2/ QL3	80x530
9	530112	QC7	2,0	approx. 1500	max. 8,6	max. 38	5	QL2/ QL3	80x530

water filters for ice-cube machines



item	order no.	type	flow rate (l/min)	capacity at 20°E (l)	operation pressure (bar)	water temperature (°C)	filter size (µm)	suitable filter head	ø x height (mm)
1	530176	2K Plus	1,9	approx. 2840	max. 10	max. 38	0,5	QL2/ QL3	80x260
2	530177	4K Plus	1,9	approx. 11300	max. 10	max. 38	0,5	QL2/ QL3	80x370
3	530192	7K Plus	6,3	approx. 34200	max. 10	max. 38	0,5	QL2/ QL3	80x530
4	530247	Insurice 2000	6,3	approx. 34200	max. 10	max. 38	0,5	QL2/ QL3	80x530

water softeners Everpure (overall hardness)



item	order no.	type	flow rate (l/min)	capacity at 20°E (l)	operation pressure (bar)	water temperature (°C)	ø (mm)	height (mm)	withdraw (mm)	depth (mm)
1	530107	BWSO 2000 complete	1,9	approx. 486	max. 10	max. 38	-	680	260	120
2	530140	BWSO 7000 complete	1,9	approx. 1700	max. 10	max. 38	-	625	275	180
3	530110	spare cartridge for BWSO 2000 (new)	1,9	approx. 486	max. 10	max. 38	80	530	-	-
3	530111	replacement cartridge for BWSO 2000 (regenerated)	1,9	approx. 486	max. 10	max. 38	80	530	-	-
4	530146	spare cartridge for BWSO 7000 (new)	1,9	approx. 1700	max. 10	max. 38	170	530	-	-
4	530147	replacement cartridge for BWSO 7000 (regenerated)	1,9	approx. 1700	max. 10	max. 38	170	530	-	-

Water treatment

water softeners Everpure (carbonate hardness)



item	order no.	type	flow rate (l/min)	capacity (l) at 18,75°E and 30% waste	operation pressure (bar)	water temperature (°C)	ø x height (mm)
1	530251	Everplus system V	4,0	approx. 1780	max. 10	max. 38	260x400
2	530141	Everplus system 1	4,0	approx. 2660	max. 10	max. 38	260x540
3	530142	Everplus system 2	4,0	approx. 4660	max. 10	max. 38	300x400
4	530143	Everplus system 3	4,0	approx. 6460	max. 10	max. 38	300x540

spare cartridges



item	order no.	description	item	order no.	description
1	530252	spare cartridge system V (new)	1	530253	replacement cartridge system V (regenerated)
2	530148	spare cartridge system 1 (new)	2	530149	replacement cartridge system 1 (regenerated)
3	530150	spare cartridge system 2 (new)	3	530151	replacement cartridge system 2 (regenerated)
4	530152	spare cartridge system 3 (new)	4	530153	spare cartridge system 3 (regenerated)

water treatment systems Everpure
for combination steamer (Kleensteam)



item	order no.	description	flow rate (l/min)	capacity (l)	operation pressure (bar)	water temperature (°C)	ø (mm)	height (mm)	width (mm)	depth (mm)
1	530157	Kleenstream complete	6	approx. 60000	max. 8,6	max. 38	-	750	500	175
2	530235	spare cartridge 4CB5	6,3	approx. 22710	max. 8,6	max. 38	80	370	-	-
3	530116	spare cartridge CV		approx. 22710	max. 8,6	max. 38	80	530	-	-
4	530200	filter SR-X		approx. 60000	max. 8,6	max. 38	131	316	-	-
5	530198	filter insert SS-10 (AR10)		approx. 60000	max. 8,6	max. 38	80	230	-	-
5	530254	filter insert SS-IMF		approx. 80000	max. 8,6	max. 38			-	-

filter heads



item	order no.	description	connection	ø x height (mm)
1	530115	QL2 without isolating valve	3/8" horizontal	96x80
2	530248	QL2B without isolating valve	3/8" horizontal	96x80
3	530106	QL3 with isolating valve	3/8" vertical	96x90

item	order no.	description	connection	ø x height (mm)
4	530249	QL3B with isolating valve	3/8" vertical	96x90
5	530250	QL3Bi with isolating valve and pressure gauge	3/8" vertical	180x110
6	520218	nipple	3/4" - 3/8"	32

Water treatment

water softeners Bores (carbonate hardness)

Technical data:

operation pressure: 10bar
water temperature: max. 40°C



item	order no.	type	capacity (l) at 18,75°E and 30% waste	ø x height (mm)
1	530332	DEK 8 (new)	approx. 5000	215x490
1	530336	DEK 8 (regenerated)	approx. 5000	215x490
2	530333	DEK 15 (new)	approx. 9000	270x640
2	530337	DEK 15 (regenerated)	approx. 9000	270x640

item	order no.	description
3	530335	connection head with electronic water meter
4	530334	connection head with mechanical water meter

accessories



item	order no.	description	ø x height (mm)
1	530118	Scalekleen (Everpure)	80x260
2	530097	descaling agent 50g	

item	order no.	description
3	530098	descaling agent 200g
4	530099	descaling agent 1000g

water filters Cuno

water filters for cold drinks



item	order no.	description	flow rate (l/min)	capacity at 20°E (l)	water pressure (bar)	water temperature (°C)	filter size (µm)	suitable filter head	ø x height (mm)
1	530010	spare cartridge CS-25	3,8	approx. 7571	max. 8,6	max. 38	0,5	QL2/ QL3 (system Everpure)	86x286
2	530011	spare cartridge CFS-9812-X	5,7	approx. 34069	max. 8,6	max. 38	0,5	QL2/ QL3 (system Everpure)	86x367
3	530255	spare cartridge AP3-C765	2,8	approx. 7600	max. 8,6	max. 38	0,5	VH3 BSPT	78x260
4	530256	spare cartridge AP3-C762-M	2,8	approx. 7600	max. 8,6	max. 38	0,15	VH3 BSPT	78x260

water filters for ice-cube maker



item	order no.	description	flow rate (l/min)	capacity at 20°E (l)	water pressure (bar)	water temperature (°C)	filter size (µm)	suitable filter head	ø x height (mm)
1	530257	spare cartridge HF20-S	5,7	approx. 34069	max. 8,6	max. 38	0,5	VH3 BSPT	86x286
2	530258	spare cartridge HF30-S	6,3	approx. 52995	max. 8,6	max. 38	0,5	VH3 BSPT	86x470

water filters for hot drinks



item	order no.	description	flow rate (l/min)	capacity at 20°E (l)	water pressure (bar)	water temperature (°C)	filter size (µm)	suitable filter head	ø x height (mm)
1	530012	spare cartridge CS-14	3,8	approx. 9464	max. 8,6	max. 38	1,0	QL2/ QL3 (system Everpure)	86x286
2	530013	spare cartridge CFS-9112-S	5,7	approx. 13249	max. 8,6	max. 38	1,0	QL2/ QL3 (system Everpure)	86x367
3	530018	spare cartridge SWC-9135	1,9		max. 8,6	max. 38	5,0	QL2/ QL3 (system Everpure)	86x480
4	530270	spare cartridge HF05-MS	2,8	approx. 5678	max. 8,6	max. 38	0,5	VH3 BSPT	86x180
5	530271	spare cartridge HF10-MS	3,8	approx. 13200	max. 8,6	max. 38	0,5	VH3 BSPT	78x240

Water treatment



item	order no.	description	flow rate (l/min)	capacity at 20°E (l)	water pressure (bar)	water temperature (°C)	filter size (µm)	ø x height (mm)
1	530014	water filter CS-451 complete	1,9	approx. 5678	max. 8,6	max. 38		59x210
2	530015	spare cartridge CS-51	1,9	approx. 5678	max. 8,6	max. 38		59x210
3	530022	spare cartridge CS-11	3,8	approx. 9464	max. 8,6	max. 38	1,0	81x250

water softeners (overall hardness)



item	order no.	description	flow rate (l/min)	capacity (l) at 18,75°E and 30% waste	water pressure (bar)	water temperature (°C)	filter size (µm)	ø x height (mm)
1	530016	water softener CFS-6135	1,9	approx. 1350	max. 8,6	max. 38	5	92x471
2	530017	spare filter SWC-1350	1,9	approx. 1350	max. 8,6	max. 38	5	92x471

filter heads



item	order no.	description	connection	ø x height (mm)	item	order no.	description	connection	ø x height (mm)
1	530115	QL2 without isolating valve	3/8" horizontal	96x80	5	530250	QL3Bi with isolating valve and pressure gauge	3/8" vertical	180x110
2	530248	QL2B without isolating valve	3/8" horizontal	96x80	6	530272	filter head VH3 BSPT	3/8"	120x160
3	530106	QL3 with isolating valve	3/8" vertical	96x90	7	520218	nipple	3/4" / 3/8"	32
4	530249	QL3B with isolating valve	3/8" vertical	96x90					

accessories for water softener

prefilters for water softener



item	order no.	description	ø x length (mm)
1	530178	prefilter 3/8"	59x58

item	order no.	description	ø x length (mm)
2	530179	prefilter 1/2"	59x58



item	order no.	description	ø x length (mm)
1	530182	prefilter 3/8"	180x180,5
1	530183	prefilter 1/2"	180x180,5
2	530188	prefilter 3/4"	180x306,5

item	order no.	description	suitable for
3	530186	spare filter	530182 / 530183
4	530189	spare filter	530188
5	530187	ring spanner	

replacement resin and salt for water softeners



item	order no.	description	content
1	530273	replacement resin Dowex HCR-S/S	6 l (5kg)
1	530274	replacement resin Dowex HCR-S/S	9 l (7,5kg)
1	520136	replacement resin Dowex HCR-S/S	25 l (20,5kg)

item	order no.	description	content
2	530240	replacement resin Purolite	25 l (20,5kg)
3	530239	regenerant salt Broxo for softening plants	25kg
4	530238	regenerant salt-tablets (Broxetten taps) for softening plants	25kg

Water treatment

water hardness measuring devices



item	order no.	description
1	540620	overall hardness measuring kit

item	order no.	description
2	540621	measuring kit for carbonate hardness

cleaner and scale removers



item	order no.	description
1	802106	detergent for coffee machine PULY Caff Plus (10 sachets of 20g)
2	802107	detergent for coffee machine PULY Caff Plus (60 tablets of 2,5g)
3	802159	detergent for coffee machine PULY Caff Plus (100 tablets of 1g)
4	802158	detergent for coffee machine PULY Caff Plus (powder 370g)

item	order no.	description
5	802157	detergent for coffee machine PULY Caff Plus (powder 570g)
6	950010	detergent for coffee machine PULY Caff Plus (powder 900g)
7	802123	detergent for tea and coffee machine ETOLIT (powder 1000g)



item	order no.	description
1	802117	scale remover for coffee machine PULY CLEANER Baby (10 sachets per 30g)
2	802161	scale remover CALCINET for dishwashers (1 sachet 150g)
3	802118	scale remover CALCINET for dishwashers (powder 1000g)
4	530097	scale remover SCALE KLEEN (1 sachet 50g)

item	order no.	description
4	530098	scale remover SCALE KLEEN (1 sachet 200g)
4	530099	scale remover SCALE KLEEN (1 sachet 1000g)
5	802124	scale remover ETOLIT (powder 1000g)
6	802127	scale remover ETOLIT (powder 5000g)



item	order no.	description
1	802160	detergent for coffee grinder PULY GRIND (10 sachets per 15g)
2	802162	grease solvent GRASSONET for dishwashers (1 sachet 200g)

item	order no.	description
3	802121	grease solvent ETOLIT with spray gun, safety glasses and gloves (bottle 1000ml)



item	order no.	description
1	802111	cleaner for milk foamer PULY MILK Plus (bottle 1000ml)

item	order no.	description
2	802122	cleaner for milk foamer and cream dispenser ETOLIT (bottle 1000ml)

cleaning agents for combination steamer



Note:
These articles are delivered as transport of dangerous materials what will be charged separately.

item	order no.	description
1	802125	cleaner ETOLIT jet-clean 10l

item	order no.	description
2	802126	detergent ETOLIT jet-clear 10l